

PQA Opioid Measures

For each of the measures, a lower rate indicates better performance.

Use of Opioids at High Dosage in Persons Without Cancer (OHD) (NQF #2940)

The percentage of individuals \geq 18 years of age who received prescriptions for opioids with an average daily dosage of \geq 90 morphine milligram equivalents (MME) over a period of \geq 90 days. (Excludes patients in hospice or palliative care and those with cancer or sickle cell disease.)

- PQA endorsed May 2015 (Updated in 2018, for use in 2019).
- NQF endorsed March 2017 (#2940).

Examples of Implementation/Use

- Medicaid Adult Core Set since 2016.
- Medicare Part D Display page since 2021 (2019 data).

Use of Opioids from Multiple Providers in Persons Without Cancer (OMP) (NQF #2950)

The percentage of individuals \geq 18 years of age who received prescriptions for opioids from \geq 4 prescribers and \geq 4 pharmacies within \leq 180 days. (Excludes patients in hospice or palliative care and those with cancer or sickle cell disease.)

- PQA endorsed May 2015 (Updated in 2018, for use in 2019).
- NQF endorsed March 2017 (#2950).

Examples of Implementation/Use

• Medicare Part D Display page since 2021 (2019 data).

Concurrent Use of Opioids and Benzodiazepines (COB) (NQF #3389)

The percentage of individuals \geq 18 years with concurrent use of prescription opioids and benzodiazepines for \geq 30 cumulative days. (Excludes patients in hospice or palliative care and those with cancer or sickle cell disease.)

- PQA endorsed December 2016.
- NQF endorsed October 2018 (#3389).

Examples of Implementation/Use

- Medicaid Adult Core Set since 2018.
- Medicare Part D Display page since 2021 (2019 data).
- CMS proposed addition to the 2026 Star Ratings (2024 data) through rulemaking (CMS-4201-P)

Initial Opioid Prescribing for Long Duration (IOP-LD) (NQF #3558)

The percentage of individuals \geq 18 years of age with \geq 1 initial opioid prescriptions for >7 cumulative days' supply. (Excludes patients in hospice or palliative care and those with cancer or sickle cell disease.)

- PQA endorsed May 2019.
- NQF endorsed November 2020 (#3558).

Examples of Implementation/Use

- Medicare Part D Patient Safety reports since 2020.
- Medicare Part D Display page since 2023 (2021 data).

Annual Monitoring for Persons on Long-Term Opioid Therapy (AMO) (NQF #3541)

The percentage of individuals 18 years and older who are prescribed long-term opioid therapy and have not received a drug test at least once during the measurement year. (Excludes patients in hospice or palliative care and those with cancer).

- PQA stewardship 2019.
- NQF endorsed July 2020 (NQF #3451).

Examples of Implementation/Use

• Health Insurance Marketplace Quality Rating System (QRS) since 2021 (2020 data).

Please visit the PQA website <u>Measure Use & Licensing</u> page for additional information. For questions about PQA measures, please use the <u>Technical Assistance Request</u> form. For licensing questions please contact <u>Contracts@PQAalliance.org.</u>

Last Update: February 2023